

=> d his


(FILE 'HOME' ENTERED AT 15:44:59 ON 02 APR 2004)

FILE 'REGISTRY' ENTERED AT 15:45:13 ON 02 APR 2004

L1 STRUCTURE UPLOADED
L2 STRUCTURE UPLOADED
L3 STRUCTURE UPLOADED
L4 0 S L1 OR L2 OR L3
L5 0 S L4 FULL



=> d que 15 stat

L1 STR




Structure attributes must be viewed using STN Express query preparation.

L2 STR



Structure attributes must be viewed using STN Express query preparation.

L3 STR



Structure attributes must be viewed using STN Express query preparation.

L5 0 SEA FILE=REGISTRY SSS FUL L1 OR L2 OR L3

100.0% PROCESSED 82220 ITERATIONS
SEARCH TIME: 00.00.02

0 ANSWERS

=> fil capl

FILE 'CAPLUS' ENTERED AT 15:46:45 ON 02 APR 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 2 Apr 2004 VOL 140 ISS 15

FILE LAST UPDATED: 1 Apr 2004 (20040401/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

'..FIONA' IS DEFAULT FORMAT FOR 'CAPLUS' FILE

=> => d his

(FILE 'HOME' ENTERED AT 15:44:59 ON 02 APR 2004)

FILE 'REGISTRY' ENTERED AT 15:45:13 ON 02 APR 2004

L1	STRUCTURE UPLOADED
L2	STRUCTURE UPLOADED
L3	STRUCTURE UPLOADED
L4	0 S L1 OR L2 OR L3
L5	0 S L4 FULL

FILE 'CAPLUS' ENTERED AT 15:46:45 ON 02 APR 2004

	E TOKARSKI ZBIGNIEW/AU
L6	54 S E3
	E JUBRAN NUSRALLAH/AU
L7	36 S E3
	E GETAUTIS VYTAUTAS/AU
L8	9 S E3-E4
	E DASKEVICIENE MARYTE/AU
L9	7 S E2-E3
	E MONTRIMAS EDMUNDAS/AU
L10	134 S E1-E3
	E GAIDELIS VALENTAS/AU
L11	116 S E2-E3
L12	290 S L6 OR L7 OR L8 OR L9 OR L10 OR L11

L13 3 S L12 AND EPOXY

=> d 1-3 bib abs

L13 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN

AN 1997:691250 CAPLUS

DN 128:28485

TI Photopolymerization of carbazolyloxiranes with sulfonium and tropylium salts

AU Grazulevicius, Juozas V.; Kavaliunas, Rimtautas; Lazauskaite, Ruta; **Getautis, Vytautas M.; Daskeviciene, Maryte**

CS Department of Organic Technology and Department of Organic Chemistry, Chemical Engineering Faculty, Kaunas University of Technology, Radvilenu, Plentas 19, 3028, Kaunas, Lithuania

SO Journal of Photochemistry and Photobiology, A: Chemistry (1997), 110(1), 85-89

CODEN: JPPCEJ; ISSN: 1010-6030

PB Elsevier

DT Journal

LA English

AB The photopolymerization of 1-allyloxa-3-(carbazol-9-yl)-2-propanol glycidyl ether (ACPGE) and 1-(carbazol-9-yl)-4-oxa-2-pentanol glycidyl ether (COPGE) with cyclopropyldiphenylsulfonium tetrafluoroborate and tropylium hexafluorophosphate is reported. Oligomers with a d.p. of 9-19 were obtained in the photopolymerization of ACPGE with these salts. The photopolymerization of COPGE yielded oligomers with a d.p. of 4-5. The behavior of tropylium and sulfonium salts is discussed. Tropylium hexafluorophosphate initiates both the photopolymerization of carbazolyloxiranes and the cationic polymerization of unsaturated monomers. Cyclopropyldiphenylsulfonium tetrafluoroborate acts exclusively as a photoinitiator.

RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD

ALL CITATIONS AVAILABLE IN THE RE FORMAT

L13 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
AN 1997:403286 CAPLUS
DN 127:122021
TI Synthesis and photopolymerization of novel carbazoyl containing
epoxy monomers
AU Grazulevicius, J. V.; Kavaliunas, R.; Lazauskaite, R.; Getautis, V. M.;
Daskeviciene, M.
CS Kaunas Univ. Technol., Kaunas, 3028, Lithuania
SO Chemija (1997), (1), 89-93
CODEN: CHMJES; ISSN: 0235-7216
PB Academia
DT Journal
LA English
AB Synthesis of 1-allyloxy-3-(carbazol-9-yl)-2-propanol glycidyl ether
(ACPGE) and 1-methoxy-3-(carbazol-9-yl)-2-propanol glycidyl ether (MCPGE)
and characteristics of the obtained monomers are reported. Photopolymns.
of synthesized ACPGE and MCPGE initiated with tropylium and sulfonium
salts are investigated. Influence of the functional groups of monomers on
mol. weight, mechanism and rate of polymerization is discussed. Tropylium
hexafluorophosphate acts as initiator of both photopolymn. of
carbazolyloxiranes and cationic polymerization of unsatd. monomers.
RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L13 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN

AN 1981:112536 CAPLUS

DN 94:112536

TI Electrophotographic material

IN Bliumbergas, R.; Grazulevicius, J.; Duobinis, N.; Kavaliunas, R.;

Gaidelis, V.; Undzenas, A.; Kreiveniene, N.

PA Kaunas Polytechnic Institute, USSR; Scientific-Research Institute of
Electrography

SO U.S.S.R.

From: Otkrytiya, Izobret., Prom. Obraztsy, Tovarnye Znaki 1980, (45), 210.

CODEN: URXXAF

DT Patent

LA Russian

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	SU 785838	T	19801207	SU 1979-2716910	19790118
PRAI	SU 1979-2716910		19790118		

AB The photosensitivity of an electrophotog. material consisting of a support and a layer of poly(epoxypropylcarbazole) (I) with a sensitizer and a plasticizer was increased while maintaining physicomech. and adhesive properties by using a plasticizer consisting of 10-25 weight% (based on I) 9-(2,3-epoxypropyl)carbazole; 1-**epoxy**-2-hydroxy-3-(9-carbazolyl)propane; 1,3-bis(9-carbazolyl)-2-propanol, or bis[2-hydroxy-3-(9-carbazolyl)propyl] ether.

10/663,970

Page 7

=>